

## 70-346 Review Questions 1 to 125

Started: 4/15/16

Updated 4/28/16

Ended:

1.	<p>You need to view a log of the recent administrative commands performed against the Microsoft Rights Management Service.</p> <ul style="list-style-type: none"><li>• <code>Import-module aadrm</code></li><li>• <code>Connect-aadrmService</code></li><li>• <code>Get-AadrmAdminLog</code></li></ul>
2.	<p>Fields required to use the bulk add tool to add users to Office 365</p> <ul style="list-style-type: none"><li>• <code>User Name</code></li><li>• <code>Display Name</code></li></ul>
3.	<p>You need to ensure that partner accounts are NOT synchronized with Office 365.</p> <ul style="list-style-type: none"><li>• <code>Configure OU-based filtering by using the Windows Azure Active Directory Sync tool</code></li></ul>
4.	<p>You need to disable access to SharePoint Online for all HR department employees.</p>

	<pre> Import-Module MSOnline \$cred = Get-Credential Connect-MsolService -cred \$cred \$license = New -MsolLicenseOptions                -AccountSkuId "litware:STANDARDPACK"                -DisabledPlans SHAREPOINTSTANDARD Get -MsolUser -All -Department "HR"   Set -MsolUserLicense -LicenseOptions \$license </pre>
5.	<p>You need to ensure that the AD FS proxies can communicate with the federation server farm.</p> <p><b>A.</b> HOSTS file on the proxy servers</p> <p><b>B.</b> DNS server in the perimeter network</p>
6.	<p>Fabrikam Inc. plans to use the domain fabrikam.com for Office 365 user identities, email addresses. Session Initiation Protocol (SIP) addresses, and a public-facing home page.</p>

	<p><b>New-MsolDomain</b></p> <hr/> <hr/> <p><b>Get-MsolDomainVerificationDns</b></p> <hr/> <hr/> <p><b>Confirm-MsolDomain</b></p> <hr/> <hr/> <p><b>Set-MsolDomain</b></p>
7.	<p>You need to ensure that all users can access the services that are available in their regions.</p> <p><b>A. User location settings</b></p>
8.	<p>You need to ensure that you can use the Windows Azure Active Directory Sync tool to synchronize the local Active Directory with Office 365.</p> <p>Raise the forest functional level to Windows Server 2003.</p> <p>Install Windows Server 2008 R2 Standard edition.</p>
9. Rev	<p>Your company has a hybrid deployment of Office 365. You need to verify whether free/busy information sharing with external users is configured.</p> <p><b>C. Get-OrganizationRelationship</b></p> <p><a href="https://www.youtube.com/watch?v=8b39WitjZzw">https://www.youtube.com/watch?v=8b39WitjZzw</a></p>

Office 365 | Admin

### Exchange admin center

- dashboard
- recipients
- permissions
- compliance management
- organization**
- protection
- mail flow
- mobile
- public folders

sharing add-ins

#### Organization Sharing

Enable free/busy and other calendar information sharing between federated Exchange organizations. [Learn more](#)

+ ✎ 🗑️ ↺

ON	NAME	DOMAINS
<input checked="" type="checkbox"/>	BRFF Company	mail.checkemail.info; w4n.info; checkemail.info; v-brunf.msftonlinepro.com; brrf.mail.onmic


1 selected of 1 total

10. A company has an Active Directory Domain Service (AD OS) domain. All servers run Windows Server 2008. You have an on-premises Exchange 2010 server.

What is the question?

Planning Phase	Migration Phase	Project Action
<input type="radio"/>	<input checked="" type="radio"/>	Assign licenses to users.
<input checked="" type="radio"/>	<input type="radio"/>	Prepare the on-premises Active Directory for directory synchronization.
<input type="radio"/>	<input type="radio"/>	Raise the forest functional level to Windows Server 2008.
<input type="radio"/>	<input type="radio"/>	Upgrade the Exchange server to Exchange 2013.

11.	<p>Which <u>two</u> <u>DNS</u> entries should you create to use all features of Exchange Online?</p> <p><b>C. MX</b> <b>D. CNAME</b></p>
12.	<p>You need to determine the organization's readiness for the Office 365 implementation.</p> <p><b>B. Run the OnRamp for Office 365 tool.</b></p>
13.	<p>You need to implement Windows Azure multi-factor authentication. Which three actions should you perform? Each correct answer presents part of the Solution.</p> <p><b>B</b> On the AD FS Federation server, run WindowsAzureSDK-x64.exe.</p> <p><b>C</b> On the AD FS Federation server, run the Windows PowerShell cmdlet Register-AdfsAuthenticationProvider.</p> <p><b>F</b> Run the Windows Azure Multi-Factor Authentication Server Authentication Configuration Wizard.</p>
Rev	



Office 365 Admin

Office 365 admin center <<

SEARCH users, admin tasks and more

Active Users

Deleted Users

Partner Relationships

COMPANY PROFILE

IMPORT

DASHBOARD | ACTIVE USERS

Active Directory synchronization: [Manage](#) | **Warning: Last synced more than 3 days ago** | [Troubleshoot](#)

Change the password expiration policy for your users: [Change now](#)

Set Multi-factor authentication requirements: [Set up](#) [Learn more](#)

Select a view: All users

+ 👤 🔍 ↻

- [Windows Azure Multi Factor Authentication Overview](#)
- [How to Enable Multi-Factor Authentication in Office 365](#)

## additional security verification

You are required to sign in with your password as well as a registered device. This makes it harder for a hacker to sign in with just a stolen password if your account is set up.

### Step 3: Apps like Microsoft Office will need new passwords for this account

Your current password will now only work in the browser.

To sign into non-browser apps, you will need a special password called an app password. Examples of these apps are:

- Microsoft Office apps such as Outlook or Lync
- Mobile apps for email

[Learn more about app passwords](#)

[Bookmark this page](#)

generate app password

i don't use this account with these apps

### Learn more:

<https://azure.microsoft.com/en-us/documentation/articles/multi-factor-authentication-get-started-cloud/>


14.


You need to install and configure all AD FS components in the environment. Which four actions should you perform in sequence?

	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>Actions</b></p> <p>Join Server1 and Server2 to the contoso.com domain.</p> <p>Install and configure AD FS on Server1.</p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>Install-WindowsFeature</b></p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>Install-WebApplicationProxy</b></p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>Install-AdfsFarm</b></p> <p>Join Server1 to the contoso.com domain.</p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>New-WebApplication</b></p> </div> <div style="width: 50%;"> <p><b>Answer Area</b></p> <p>Install and configure AD FS on Server1.</p> <hr/> <p>Join Server1 to the contoso.com domain.</p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>Install-WindowsFeature</b></p> <p>Run the following Windows PowerShell cmdlet on Server2:</p> <p><b>Install-WebApplicationProxy</b></p> </div> </div>
15.	<p>You need to enable Azure Rights Management for only the Development security group.</p> <p><b>E. Set-AadrmOnboardingControlPolicy</b></p> <p>Example:</p> <p>Restrict Azure RMS to users who are members of a specified group  This command allows only users that are members of the security group with the specified object ID to protect content by using Azure Rights Management. The command applies to Windows clients and mobile devices.</p>



	<p>Windows PowerShell</p> <p>PS C:\&gt; Set-AadrmOnboardingControlPolicy -UseRmsUserLicense \$False - SecurityGroupObjectId "fabacac12234ca"</p> <p>Reference: Set-AadrmOnboardingControlPolicy</p>
16.	<p>Which three actions should you perform to ensure users excluded from migration are not synchronized? Each correct answer presents part of the solution.</p> <p><b>A. Populate an attribute for each user account.</b></p> <p><b>C. Perform a full synchronization.</b></p> <p><b>D. Configure the connection filter.</b></p>
17.	<p>Users report that they have received significantly more spam messages over the past month than they normally receive.</p> <p>You need to analyze trends for the email messages received over the past 60 days.</p> <p><b>A. The Mail protection reports</b></p>
18.	<p>You need to ensure that trusted applications can decrypt rights-protected content.</p> <p>Which four Windows PowerShell cmdlets should you run in sequence? To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.</p>

	
19.	<p>You must obtain a certificate from a certification authority and install it on the federation servers.</p> <p>You need to specify the subject name for the certificate.</p> <p><b>A. fs.fabnkam.com</b></p>
20.	<p>You need to ensure that you can view service health and maintenance reports for the past seven days.</p> <p>What are two possible ways to achieve this goal? Each correct answer presents a complete solution.</p> <p><b>B.</b> View the service health current status page of the Office 365 admin center.</p> <p><b>D.</b> Subscribe to the Office 365 Service Health RSS Notifications feed.</p>

21.	<p>You need to enable multi-factor authentication for Office 365.</p> <p>Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.</p> 
22.	<p>User3 must be able to monitor the health of the Exchange Online service. You must use the principle of least privilege to assign permissions to User3.</p> <p><b>A.</b> Assign User3 the service administrator role in Office 365.  <b>B.</b> Sign in to the Office 365 portal as User1.  <b>D.</b> Grant User3 administrative permissions in Exchange Online.</p> <p>Only the global administrator can delegate service administrator role.</p>


23.	<p>Some users have Microsoft Entourage 2008 for Mac, and some have Microsoft Outlook for Mac.</p> <p>All users report that they cannot access Exchange Online to check their email.</p> <p>You need to run test connectivity for all users to identify the problem. You need to use the Microsoft Remote Connectivity Analyzer and the credentials of the users.</p> <table border="1" data-bbox="296 505 1142 740"> <thead> <tr> <th data-bbox="296 505 562 553">Email client</th> <th data-bbox="562 505 1142 553">Test to run</th> </tr> </thead> <tbody> <tr> <td data-bbox="296 553 562 651">Entourage 2008 for Mac</td> <td data-bbox="562 553 1142 651">Inbound SMTP Email</td> </tr> <tr> <td data-bbox="296 651 562 740">Microsoft Outlook for Mac</td> <td data-bbox="562 651 1142 740">Outlook Connectivity</td> </tr> </tbody> </table>	Email client	Test to run	Entourage 2008 for Mac	Inbound SMTP Email	Microsoft Outlook for Mac	Outlook Connectivity
Email client	Test to run						
Entourage 2008 for Mac	Inbound SMTP Email						
Microsoft Outlook for Mac	Outlook Connectivity						
24.	Repeated						
25.	<p>You plan to use Active Directory Federated Services for user authentication. You create an account named SyscService in Active Directory and in Office 365. You must configure the permissions for the accounts in both environments by granting the minimum permissions required.</p>						

Account location	Active Directory	Office 365
Domain user	<input type="checkbox"/>	<input type="checkbox"/>
Schema Admin	<input type="checkbox"/>	<input type="checkbox"/>
Account Operators	<input type="checkbox"/>	<input type="checkbox"/>
User Management Admin	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Global Administrator	<input type="checkbox"/>	<input checked="" type="checkbox"/>

26.

Account passwords must remain active for the longest duration allowed. Users must receive password expiration notifications as early as possible. You need to configure the password expiration policy. How should you set the policy on the password page of the Office 365 admin center? To answer, drag the appropriate duration to the correct location. Each duration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

	
27.	<p>You must identify mailboxes that are no longer in use. You need to locate the inactive mailboxes.</p> <p><b>A. Get-StaleMailboxReport-StartDate</b></p>
28.	<p>Users report that they are unable to authenticate. You launch the Event Viewer and view the event information shown in the following screen shot:</p> <p>You need to ensure that users can authenticate to Office 365. What should</p>



**A. Re-enter the credentials used to establish the trust.**

29.	<p>You must provide an administrator with <b>the ability to manage company information in Office 365.</b></p> <p>You need to assign permissions to the administrator by following the principle of least privilege.</p> <p>A. Global administrator</p>
30.	<p>User2 must NOT be able to change passwords for other users.</p> <p><b>A. Service administrator</b></p>
31.	<p>You have two servers named FS1 and FS2 that have the Federation Service Proxy role service installed. You must deploy Active Directory Federation Services (AD FS) on Windows Server 2012. You need to configure name resolution for FS1 and FS</p> <p><b>A. On FS1 and FS2, add the cluster DNS name and IP address of the federation server farm to the hosts file.</b></p>

32. All employees in the human resources (HR) department must use multi-factor authentication. They must use only the Microsoft Outlook client to access their email messages. User1 joins the HR department.

	Answer Area
Instruct User1 to create an app password.	Enable multi-factor authentication for User1.
Instruct User1 to use an app password to complete the registration process.	
Instruct User1 to use a one-time password to complete the registration process.	Instruct User1 to create an app password.
Enable multi-factor authentication for User1.	
Instruct User1 to use a mobile phone to complete the registration process.	Instruct User1 to use an app password to complete the registration process.



- 33.


Administrator	Activities
User1	<ul style="list-style-type: none"> <li>o Reset passwords for standard user accounts.</li> <li>o Reset passwords for other members of the same role.</li> <li>o Must <b>NOT</b> reset passwords for other administrator accounts.</li> </ul>
User2	<ul style="list-style-type: none"> <li>o Reset passwords for all administrator accounts.</li> </ul>

Answer Area

Administrator	Role
User1	password administrator
User2	global administrator



34.	<p>You create a custom website. You must host the website through a third-party provider at the IP address 134.170.185.46. You need to configure the correct DNS settings.</p>  <p>The screenshot shows a DNS configuration interface. On the left, there is a list of Name Servers: A, AAAA, TXT, and CNAME. The 'A' record is selected. In the center, under 'DNS target', there are three entries: ns1.bdm.microsoftonline.com, ns2.bdm.microsoftonline.com, and 134.170.185.46. On the right, under 'DNS record', there are three entries: Name Server, Name Server, and A.</p>
35.	<p>You need to ensure that the new password for the account meets complexity rules.</p> <p><b>A.</b> Summer2015  <b>G.</b> M1crosoft</p> <p>Not sure about this</p>
36.	<p>Users report that Outlook does not display the availability of other users for meetings. You must determine whether an Office 365 mailbox can access the scheduling availability of a user with an on-premises mailbox. You must also run a test to verify that an on-premises mailbox can access the scheduling availability of a user that has an Office 365 mailbox.</p>  <p>The screenshot shows a 'Mailbox test scenario' configuration interface. On the left, there is a list of tests: Office 365 Single Sign-On Test, Microsoft Exchange Web Services Connectivity Test, and Outlook Connectivity Test. The 'Outlook Connectivity Test' is selected. In the center, under 'Mailbox test scenario', there are two entries: On-premises to Office 365 mailbox and Office 365 to On-premises mailbox. The 'Outlook Connectivity Test' is selected for the 'On-premises to Office 365 mailbox' scenario, and the 'Microsoft Exchange Web Services Connectivity Test' is selected for the 'Office 365 to On-premises mailbox' scenario.</p> <p><a href="https://testconnectivity.microsoft.com/">https://testconnectivity.microsoft.com/</a></p>

	 <p><b>Microsoft Exchange Web Services Connectivity Tests</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> Synchronization, Notification, Availability, and Automatic Replies</li> <li><input type="radio"/> Service Account Access (Developers)</li> </ul> <p><b>Microsoft Office Outlook Connectivity Tests</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> Outlook Connectivity</li> <li><input type="radio"/> Outlook Autodiscover</li> </ul> <p><b>Internet Email Tests</b></p> <ul style="list-style-type: none"> <li><input type="radio"/> Inbound SMTP Email</li> <li><input type="radio"/> Outbound SMTP Email</li> <li><input type="radio"/> POP Email</li> <li><input type="radio"/> IMAP Email</li> </ul> <p><b>Free/Busy Test</b></p> <ul style="list-style-type: none"> <li><input checked="" type="radio"/> Free/Busy</li> </ul> <p><b>Free/Busy Test</b></p> <p>This test verifies that an Office 365 mailbox can access the free/busy information of an on-premises mailbox, and vice versa (one direction per test run). For advanced deployment scenarios, have you viewed the guidance for the <a href="#">Hybrid Configuration Wizard?</a></p>
37.	<p>You need to manage Office 365 from a domain-joined Windows Server 2012 Core server. Which three components should you install? Each answer presents part of the solution.</p> <p><b>A.</b> Windows Azure Active Directory module for Windows PowerShell  <b>B.</b> Microsoft .NET Framework 3.5  <b>E.</b> Microsoft Online Services Sign-in Assistant</p>
38.	<p>All mailboxes are hosted on Office 365. All users access their Office 365 mailbox by using a user account that is hosted on premises. You need to delete a user account and its associated mailbox.</p> <p><b>D.</b> Active Directory Users and Computers</p>
39.	<p>A company plans to deploy an Office 365 tenant. You have the following requirements:</p> <ul style="list-style-type: none"> <li>• Administrators must be able to access the Office 365 admin center.</li> </ul>

- Microsoft Exchange Online must be used as a Simple Mail Transfer Protocol (SMTP) relay for a line-of-business application that sends email messages to remote domains.
- All users must be able to use the audio and video capabilities in Microsoft Lync 2013.

You need to configure the ports for the firewall.

Which port should you use for each application? Select the correct answer from each list in the answer area.

Applications	Port or Ports
SMTP relay	<input type="text"/> <input checked="" type="checkbox"/> TCP 25 <input type="checkbox"/> TCP 443 <input type="checkbox"/> TCP 587
Office 365 admin center	<input type="text"/> <input type="checkbox"/> TCP 80 <input checked="" type="checkbox"/> TCP 443 <input type="checkbox"/> TCP 10106
Lync (outbound video sessions)	<input type="text"/> <input type="checkbox"/> RTP/UDP 50000-50019 <input checked="" type="checkbox"/> RTP/UDP 50020-50039 <input type="checkbox"/> UDP 50040-50059
Lync (outbound audio sessions)	<input type="text"/> <input checked="" type="checkbox"/> RTP/UDP 50000-50019 <input type="checkbox"/> RTP/UDP 50020-50039 <input type="checkbox"/> UDP 50040-50059

40. A company has a Windows Server 2008 domain controller and a SharePoint 2007 farm. All servers on the network run Windows Server 2008.  
You must provide single sign-on for Office 365 SharePoint sites from the company's network.



You need to install the required software.

Step	Action
1.	Install .NET Framework 3.5 with Service Pack 1
2.	Install AD FS 2.0
3.	Install Rollup 3 for AD FS 2.0
4.	Configure trusts between environments
5.	Configure Active Directory synchronization

41. You plan to implement Active Directory Federation Service (AD FS) with single sign-on.

You have the following requirements:

- Servers must be Windows Server 2012 R2.
- Internet-facing servers must be placed in the perimeter network.
- The solution must support at least 105 AD FS trust relationships.

	
42.	<p>After deploying ADFS tenant password policies are handled by the local Active Directory Environment, and not Office 365 Azure. All users will be synchronized and will utilize the AD DS six character long password policy.</p>
43.	<p>You must reset the password for all of the employees in your company.</p> 
44.	<p><b>You need to configure the DNS settings for the public-facing SharePoint site.</b></p>

Answer Area

Record	Hostname	Points To Address
<input type="text"/> A <input checked="" type="checkbox"/> CNAME <input type="checkbox"/> MX <input type="checkbox"/> SRV	<input type="text"/> <input checked="" type="checkbox"/> www.contoso.com <input type="checkbox"/> contoso-public.office.com <input type="checkbox"/> contoso-public.onmicrosoft.com <input type="checkbox"/> contoso-public.sharepoint.com	<input type="text"/> <input type="checkbox"/> www.contoso.com <input type="checkbox"/> contoso-public.office.com <input type="checkbox"/> contoso-public.onmicrosoft.com <input checked="" type="checkbox"/> contoso-public.sharepoint.com

45. **User1 leaves the company. You must delete the account for User1.**

**In the table below, identify when each type of data will be deleted. Make only one selection in each column. Each correct selection is worth one point.**

User1 Exchange Online mailbox	Documents Created by User1 on SharePoint Online	Timeframe
<input type="radio"/>	<input checked="" type="radio"/>	Never removed
<input type="radio"/>	<input type="radio"/>	Removed immediately
<input checked="" type="radio"/>	<input type="radio"/>	Removed after 30-day grace period
<input type="radio"/>	<input type="radio"/>	Removed after 90-day grace period

46. **Your need to prevent users from changing their user display name by using Outlook Web App.**

D. Modify the default role assignment policy.

The screenshot displays the Exchange Admin Center interface. On the left, the 'permissions' menu item is highlighted with a red circle. In the main content area, the 'user roles' link is also circled in red. Below it, the 'Default Role Assignment Policy' is selected. An inset window shows the 'Role Assignment Policy - Internet Explorer' page with the 'MyDisplayName' checkbox under 'Profile information' circled in red, indicating the step to uncheck this option to prevent name changes.

Exchange admin center

- dashboard
- recipients
- permissions**
- compliance management
- organization
- protection
- mail flow
- mobile
- public folders
- unified messaging
- hybrid

admin roles **user roles**

+ ✎ 🗑️ ↺

NAME

**Default Role Assignment Policy**

Role Assignment Policy - Internet Explorer

https://outlook.office365.com/ecp/UsersGroups/EditRoleA

Default Role Assignment Policy

Contact information, including address and phone numbers.

- MyAddressInformation
- MyMobileInformation
- MyPersonalInformation

Profile information:

- MyProfileInformation  
This role enables individual users to modify their name.
- MyDisplayName**
- MyName

Distribution groups:

- MyDistributionGroups  
This role enables individual users to create, modify and view distribution groups and modify, view members, and add members to distribution

47.	<p>A company deploys an Office 365 tenant in a hybrid configuration with Exchange Server 2013.</p> <p>Office 365 users cannot see free/busy information that is published from the on-premises Exchange Server. In addition, Exchange Server users cannot see free/busy information that is published from Office 365.</p> <p>You need to troubleshoot why users cannot access free/busy information from both Office 365 and Exchange Server 2013.</p> <p>Which tool should you run?</p> <p><b>D. The Remote Connectivity Analyzer with the Office 365 tab selected</b></p>
-----	--



Exchange Server | SFB / Lync | **Office 365** | Client | Message Analyzer



### Microsoft Office 365 Support and Recovery Assistant

Support and Recovery Assistant is a new tool users can run to fix common Office 365 problems. In its current version, it can either fix any problem or save a log file, which users can share with their Office 365 admin or a support engineer. Each time you run the tool, it updates itself to the latest version. To get this tool, go to the [Microsoft Office 365 Support and Recovery Assistant page](#).

You can also watch a short [introduction video](#).



### Office 365 General Tests

- Office 365 Exchange Domain Name Server (DNS) Connectivity Test
- Office 365 Lync Domain Name Server (DNS) Connectivity Test
- Office 365 Single Sign-On Test



### Microsoft Exchange ActiveSync Connectivity Tests

- Exchange ActiveSync
- Exchange ActiveSync Autodiscover



### Microsoft Exchange Web Services Connectivity Tests

- Synchronization, Notification, Availability, and Automatic Replies
- Service Account Access (Developers)



### Microsoft Office Outlook Connectivity Tests

- Outlook Connectivity
- Outlook Autodiscover



### Internet Email Tests

- Inbound SMTP Email
- Outbound SMTP Email
- POP Email
- IMAP Email



### Free/Busy Test

- Free/Busy

#### Free/Busy Test

This test verifies that an Office 365 mailbox can access the free/busy information of an on-premises mailbox, and vice versa (one direction per test run). For advanced deployment scenarios, have you viewed the guidance for the [Hybrid Configuration Wizard](#)?

48.	<p>You need to ensure that the passwords for the test user accounts do not expire.</p> <p><b>A. Set-MsolUser</b></p>

## 1. Set Password Never Expired

Set Password never expired for Office 365 user

PowerShell command Syntax

```
PowerShell  
Set-MSolUser -UserPrincipalName <UserPrincipalName> -PasswordNeverExpires $True
```

PowerShell command Example

```
PowerShell  
Set-MSolUser -UserPrincipalName John@o365info.com -PasswordNeverExpires $True
```

Disable Password never expired option for a Office 365 user

PowerShell command Syntax

```
PowerShell  
Set-MSolUser -UserPrincipalName <UserPrincipalName> -PasswordNeverExpires $False
```


PowerShell command Example

```
PowerShell  
Set-MSolUser -UserPrincipalName John@o365info.com -PasswordNeverExpires $False
```

Set Password never expired for ALL Office 365 users (Bulk Mode)

Set Password never expired for ALL Office 365 users (Bulk Mode)


**PowerShell command Syntax**



```
PowerShell  
Get-MsolUser | Set-MsolUser -PasswordNeverExpires $True
```

Re-enable Password expired ( the default) for ALL Office 365 users (Bulk Mode)

**PowerShell command Syntax**



```
PowerShell  
Get-MsolUser | Set-MsolUser -PasswordNeverExpires $False
```

**For more examples on how to change the password:**

<http://o365info.com/manage-office-365-users-password-using/>

49.	<p>You use a centralized identity management system as a source of authority for user account information. You export a list of new user accounts to a file on a daily basis. Your company uses a local Active Directory for storing user accounts for on-premises solutions. You are configuring the Windows Azure Active Directory Sync tool. New user accounts must be created in both the local Active Directory and Office 365. You must import user account data into Office 365 daily. You need to import the new users. What should you do?</p> <p><b>B.</b> Create a Windows PowerShell script to import account data from the file into Active Directory.</p>
50.	<p>You are the Office 365 administrator for your company. The company uses Active Directory Federation Services (AD FS) to provide single sign-on to cloud-based services. You enable multi-factor authentication.</p> <p>Users must NOT be required to use multi-factor authentication when they sign in from the company's main office location.</p> <p>However, users must be required to verify their identity with a password and token when they access resources from remote locations. You need to configure the environment. What should you do?</p> <p><b>D.</b> Configure an IP whitelist for the main office location.</p>

To whitelist specific IP addresses within your tenant, follow the steps above in the video and below here:

- Go to the **Admin** tab.
- Scroll to Azure AD on the left hand side.
  - Click **Azure AD** and a new tab will launch.
- Once you are on the homepage, select your tenant.
- Select **Configure**.
- Scroll to Multi-Factor Authentication.
- Select **Manage service settings**.
  - A new window will appear.
- Under trusted IPs, click in the text box and type the IP address or range of address you want to exclude from MFA.
- Select **Save** and a new window will confirm your changes.

- ADMIN
  - Exchange
  - Skype for Business
  - SharePoint
  - Security & Compliance
  - Azure AD**
  - Bing Places for Business
  - Cloud App Security

The screenshot shows the 365 Ninja dashboard. At the top left is a navigation menu with a back arrow icon and the text '365 Ninja'. The main header area displays '365 ninja' and a series of navigation tabs: 'USERS', 'GROUPS', 'APPLICATIONS', 'DOMAINS', 'DIRECTORY INTEGRATION', 'CONFIGURE', 'REPORTS', and 'LICENSES'. The 'CONFIGURE' tab is highlighted with a red circle. Below the header is a large banner with a blue geometric logo and the text 'Your directory is ready to use. Here are a few options to get started.' Below this banner is a checkbox labeled 'Skip Quick Start the next time I visit'. At the bottom, there is a section titled 'I WANT TO' with three buttons: 'Set Up Directory', 'Manage Access', and 'Develop Applications'. The text 'GET STARTED' is visible at the very bottom of the page.

	<p><a href="https://www.365ninja.com/how-to-whitelist-ip-addresses-for-multi-factor-authentication/">https://www.365ninja.com/how-to-whitelist-ip-addresses-for-multi-factor-authentication/</a></p>
51.	<p>The legacy application must send email by using IMAP through Exchange Online.</p> <p><b>C.</b> Outlook.office365.com and port 993</p>
52.	<p>Your company has an Office 365 subscription. You need to add the label "External" to the subject line of each email message received by your organization from an external sender.</p> <p><b>D.</b> From the Exchange Control Panel, run the New Rule wizard.</p>



## Exchange admin center


- dashboard
- recipients
- permissions
- compliance management
- organization
- protection
- mail flow**
- mobile
- public folders

rules message trace accepted domains

+ ✎ 📄 🗑️ ⬆️ ⬇️ 📊 🔍 ↻

ON	RULE
There are no items.	

	<p>new rule</p> <p>Name: TestRule1</p> <p>*Apply this rule if...</p> <p>The sender is located... <a href="#">Outside the organization</a></p> <p>add condition</p> <p>*Do the following...</p> <p>Prepend the subject of the message with... <a href="#">'External'</a></p> <p>add action</p> <p>Except if...</p> <p>add exception</p>
53.	<p>An organization purchases an Office 365 plan for 10,000 user accounts. You have a domain controller that runs Windows Server 2008 R2. The forest functional level is set to Windows Server 2000.</p> <ul style="list-style-type: none"><li>• Install Microsoft .NET Framework 3.5 SP1 and Microsoft .NET Framework 4.0.</li><li>• Raise the forest functional level to Windows Server 2008 R2.</li></ul>

54.	<p>A company plans to implement an Office 365 environment to manage email. All user accounts must be configured to use only a custom domain. You need to provision an Office 365 tenant for the company.</p> <p>Which three actions should you perform in sequence?</p> 
55.	<p>A company has an Office 365 tenant. You must retrieve mailbox diagnostic data. You need to provide a report with this data for all users.</p> <p>Which report solution should you choose?</p> <p><b>D. REST reporting web service</b></p> <p><b>Explanation:</b> The Office 365 Reporting web service enables developers to integrate information on email and spam, antivirus activity, compliance status, and Lync Online activities into their custom service reporting applications and web portals.</p>

	<p><a href="https://msdn.microsoft.com/en-us/library/office/jj984325.aspx">https://msdn.microsoft.com/en-us/library/office/jj984325.aspx</a></p>
56.	<p>A company has an Office 365 tenant. The company uses a third-party DNS provider that does not allow TXT records.</p> <p>You need to verify domain ownership.</p> <p><b>A. Create an MX record</b></p>
57.	<p>You are the Office 365 administrator for Contoso, Ltd. User1 is unable to sign in. You need to change the password for User1 and ensure that the user is prompted to reset her password the next time she signs in.</p> <p>How should you complete the relevant Windows PowerShell command?</p> <pre>Set-MsolUserPassword -UserPrincipalName User1@contoso.com</pre>
58.	<p>You have an Office 365 tenant that uses an Enterprise E1 subscription.</p> <p>You need to convert the users in the tenant to an Enterprise E3 subscription.</p> <p>Which Windows PowerShell cmdlet should you run?</p> <p><b>C. Set-MsolUserLicense</b></p> <pre>Set-MsolUserLicense -UserPrincipalName user@contoso.com -AddLicenses "Contoso:ENTERPRISEPACK"</pre> <pre>Set-MsolUserLicense -UserPrincipalName user@contoso.com -RemoveLicenses "contoso:ENTERPRISEPACK"</pre>

59.	<p>You need to ensure that you can view service health and maintenance reports for the past seven days. What are two possible ways to achieve this goal? Each correct answer presents a complete solution.</p> <p><b>A.</b> View the service health current status page of the Office 365 admin center. <b>B.</b> Subscribe to the Office 365 Service Health RSS Notifications feed.</p>
60.	<p>Your company has an Office 365 subscription. You create a new retention policy that contains several retention tags. A user named Test5 has a client computer that runs Microsoft Office Outlook 2007. You install Microsoft Outlook 2010 on the client computer of Test5. Test5 reports that the new retention tags are unavailable from Outlook 2010.</p> <p>You verify that other users can use the new retention tags. You need to ensure that the new retention tags are available to Test5 from Outlook 2010.</p> <p><b>A.</b> Instruct Test5 to repair the Outlook profile</p>
61.	<p>You need to estimate the post-migration network traffic.</p> <ul style="list-style-type: none"><li>• Lync 2013 Bandwidth Calculator</li></ul>
62.	<p>Contoso Ltd. uses Office 365 for collaboration. You are implementing Active Directory Federation Services (AD FS) for single sign-on (SSO) with Office 365 services. The environment contains an Active Directory domain and an AD FS federation server.</p> <p>You need to ensure that the environment is prepared for the AD FS setup.</p> <p>Which two actions should you perform? Each correct answer presents part of the solution.</p>

	<ul style="list-style-type: none"><li>• Configure Active Directory to use the domain contoso.com.</li><li>• Create a server authentication certificate for the federation server by using fs.contoso.com as the subject name and subject alternative name.</li></ul>
63.	<p>Contoso Ltd. plans to use Office 365 services for collaboration between departments. Contoso has one Active Directory Domain Services domain named contoso.local. You deploy the Windows Azure Active Directory Sync tool.</p> <p>You plan to implement single sign-on (SSO) for Office 365.</p> <p>You need to synchronize only the user accounts that have valid routable domain names and are members of specified departments.</p>

	Answer Area
<p>Use the Active Directory Users and Computers MMC snap-in to change the user principal name (UPN) suffix to contoso.com for all Contoso users.</p>	<p>Add the user principal name (UPN) suffix contoso.com to the domain contoso.local by using the Active Directory Domains and Trusts MMC snap-in.</p>
<p>Use domain-based filtering to exclude all users in the domain contoso.local.</p>	<p>Use the Active Directory Users and Computers MMC snap-in to change the user principal name (UPN) suffix to contoso.com for all users in the specified departments.</p>
<p>Use the Active Directory Users and Computers MMC snap-in to change the user principal name (UPN) suffix to contoso.com for all users in the specified departments.</p>	<p>Use user attribute-based filtering to exclude all users that have contoso.local in the userPrincipalName attribute.</p>
<p>Use user attribute-based filtering to exclude all users that have contoso.local in the userPrincipalName attribute.</p>	
<p>Add the user principal name (UPN) suffix contoso.com to the domain contoso.local by using the Active Directory Users and Computers MMC snap-in.</p>	
<p>Add the user principal name (UPN) suffix contoso.com to the domain contoso.local by using the Active Directory Domains and Trusts MMC snap-in.</p>	

64. A company has an Office 365 tenant that has an Enterprise E1 subscription. You configure the policies required for self-service password reset.

You need to ensure that all existing users can perform self-service password resets.

Which Windows PowerShell cmdlet should you run?

**C. Set-MsolUserLicense**

Self-service password reset with on-premises write-back is a Premium-only feature.

Example:

The following command adds the Office 365 for enterprises license to the user.

```
Set-MsolUserLicense -UserPrincipalName user@contoso.com -AddLicenses "Contoso:ENTERPRISEPACK"
```

Note: The Set-MsolUserLicense cmdlet can be used to adjust the licenses for a user. This can include adding a new license, removing a license, updating the license options, or any combination of these actions.



Office 365 admin center <<

DASHBOARD | PASSWORDS

Search users, admin tasks ar

Active Users  
Deleted Users  
Partner Relationships

COMPANY PROFILE  
IMPORT  
CONTACTS  
SHARED MAILBOXES  
MEETING ROOMS  
GROUPS  
DOMAINS  
PUBLIC WEBSITE

► BILLING  
► EXTERNAL SHARING  
MOBILE MANAGEMENT

▲ SERVICE SETTINGS  
Mail  
Sites  
Skype for Business  
Updates  
User purchasing  
Sway  
User software  
Passwords  
Community  
Rights Management

### Set the password expiration policy

Manage how frequently users' passwords expire and the number of day:

Set passwords to never expire

\* Days before passwords expire:  
90

\* Days before a user is notified that their password will expire:  
14

Save

### Let your people reset their own passwords

You can turn it on in the [Azure AD admin center](#). [Learn more about self](#)

After you turn on self-service password reset, you need to send your pe  
[account](#)

This is from the Microsoft Azure Portal. You need to have an account for this.

user password reset policy

---

USERS ENABLED FOR PASSWORD RESET  YES  NO

---

RESTRICT ACCESS TO PASSWORD RESET  YES  NO PREVIEW

---

GROUP ENABLED FOR PASSWORD RESET

---

Before users can reset their passwords, they must first have at least one authentication method defined. [Edit users in 'WOODGROVE](#)

---

AUTHENTICATION METHODS AVAILABLE TO USERS

- Office Phone
- Mobile Phone
- Alternate Email Address
- Security Questions PREVIEW

You manage an Office 365 tenant. The subscription details for the tenant are displayed in

54

the following screenshot.

The screenshot displays the Office 365 admin center interface. At the top, there is a dark blue header with the Office 365 logo and the text "Office 365". Below the header, the page is titled "Office 365 admin center" with a back arrow. A search bar is present with the placeholder text "Search users, admin tasks and...". The left navigation pane includes links for "DASHBOARD", "SETUP", "USERS", "COMPANY PROFILE", and "CONTACTS". The main content area shows the "SUBSCRIPTIONS" tab selected. A "New subscription" button is visible. Below this, a table lists the subscription details:

SUBSCRIPTION	STATUS	QUANTITY	COST	TERM END DATE
Office 365 Business Premium	Active	2 user licenses	\$10.00 /	Auto-renews

	<p>For each user, what is the maximum number of devices on which you can install Microsoft Office?</p> <p>Which services does the tenant have licensing rights to use?</p> <p>What is the maximum number of user accounts that you can create in the tenant?</p>
66.	<p>You are the Office 365 administrator for your company. Users report that they have received significantly more spam messages over the past month than they normally receive.</p> <p>You need to analyze trends for the email messages received over the past 60 days.</p> <p>From the Office 365 admin center, what should you view?</p> <p><b>A. Messages on the Service health page</b></p>

## Service overview

### Service health

2 issues

### Service requests

No open service requests

### Mail protection


185 messages received, 7 processed by filtering.

### Message center

1 new message in the past 7 days

### Included services


### email filtered in last 7 days



[View details](#)



received mail 

[View table](#)



7d 14d 30d **60d**

top recipients

RECIPIENT	COUNT
	302
	4

67.	<p>A company migrates to Office 365. 2,000 active users have valid Office 365 licenses assigned.</p> <p>An additional 5,000 user accounts were created during the migration and testing processes. These users do not have any licenses assigned.</p> <p>You need to remove the Office 365 user accounts that do not have any licenses assigned by using the least amount of administrative effort.</p> <p>Which Windows PowerShell command should you run?</p> <p><b>B. Get-MsolUser -All -UnlicensedUsersOnly   Remove-MsolUser -Force</b></p>
68.	<p>A company uses Office 365 services. You implement the Windows Azure Active Directory Sync tool in the local environment.</p> <p>An employee moves to a new department. All Office 365 services must display the new department information for the employee.</p> <p>You need to update the employee's user account.</p> <p>Where should you change the value of the department attribute for the employee?</p> <p><b>C. The on-premises Active Directory</b></p>
69.	<p>A company deploys an Office 365 tenant. You install the Active Directory Federation Services (AD FS) server role on a server that runs Windows Server 2012. You install and configure the Federation Service Proxy role service. Users sign in by using the <b>Security Assertion Markup Language</b> (SAML) protocol.</p> <p>You need to customize the sign-in pages for Office 365.</p> <p>Which pages should you customize? To answer, drag the appropriate page to the correct customization.</p>

Each page may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Answer Area	
Customization	ASP.NET Page
Change the list of trusted claims providers that are displayed	HomeRealmDiscovery.aspx
Authenticate users	IdpInitiatedSignOn.aspx
Change the overall appearance of all pages	MasterPage.master

70. You have an Office 365 tenant that has an Enterprise E3 subscription.

You enable Azure Rights Management for users in the tenant. You need to define the methods that you can implement to encrypt and decrypt email message.

What should you do? To answer, drag the appropriate method to the correct action. Each method may be used once, more than once or not at all. You may need to drag the split bar between panes or scroll to view content.)



	Action	Method
Transport rule	Send encrypted email	One-time password
One-time password	Recieve encrypted replies	Connector
Connector	View encrypted email	Text message
Organization account		
Text message		

71. A company has an Office 365 tenant and uses Exchange Online and Skype for Business Online. User1 is scheduling a Skype meeting with User2. User 1 is not able to see availability information for User2. You need to troubleshoot the issue.

- A. Microsoft Lync Connectivity Analyzer Tool
- B. OCSLogger
- C. ClsController
- D. Remote Connectivity Analyzer

**Answer: C**

Do not agree with this answer!

72. You implement Office 365 for an organization. You must create the correct DNS entries needed to configure Office 365.

Which DNS entries should you create? To answer, drag the appropriate DNS record type to the correct purpose. Each DNS record type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

	Purpose	DNS Record Type
A		
CNAME		
MX		
SRV		
TXT		
	Helps prevent outbound email messages from being flagged as spam	TXT
	Configures email message routing	MX
	Outlook autodiscover record is used to help users easily configure their desktop clients	CNAME

73. A company deploys an Office 365 tenant. All employees use Lync Online.

You need to configure the network firewall to support Lync Online.

Which ports must you open? To answer, drag the appropriate port number to the correct feature or features. Each port number may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

Lync Online Feature	Firewall Port
Audio, video, and application sharing sessions	443
Lync mobile push notifications	5223

74.	<p>The Office 365 administrator must be notified when Office 365 maintenance activities are planned.</p> <p><b>D.</b> Office 365 Service Health RSS Notifications feed</p>
75.	<p>You need to monitor Active Directory synchronization.</p> <p>Which tool should you run?</p> <p><b>IdFix</b></p>
76.	<p>Your company has a hybrid deployment of Office 365. You need to create a group. The group must have the following characteristics:</p> <ul style="list-style-type: none"> <li>• Group properties are synchronized automatically.</li> <li>• Group members have the ability to control which users can send email messages to the group.</li> </ul> <p>What should you do?</p>

	<ul style="list-style-type: none"> <li>• <b>D. Create a distribution group and configure the Membership Approval settings.</b></li> </ul> <p>IT</p> <p>general</p> <p>ownership</p> <p>membership</p> <p>▶ <b>membership approval</b></p> <p>delivery management</p> <p>message approval</p> <p>email options</p> <p>MailTip</p> <p>group delegation</p> <p>Choose whether owner approval is required to join the group.</p> <p><input type="radio"/> Open: Anyone can join this group without being approved by the group owners.</p> <p><input type="radio"/> Closed: Members can be added only by the group owners. All requests to join will be rejected automatically.</p> <p><input checked="" type="radio"/> Owner approval: All requests are approved or rejected by the group owners.</p> <p>Choose whether the group is open to leave.</p> <p><input type="radio"/> Open: Anyone can leave this group without being approved by the group owners.</p> <p><input checked="" type="radio"/> Closed: Members can be removed only by the group owners. All requests to leave will be rejected automatically.</p>
77.	<p>Contoso, Ltd., uses SharePoint Online and plans a new single sign-on (SSO) implementation that uses Active Directory Federation Services (AD FS).</p> <p>Your environment contains the following configurations:</p> <ul style="list-style-type: none"> <li>• Two servers named Server1 and Server2</li> <li>• A partner collaboration website for the domain contoso.com that points to a SharePoint Online team site</li> <li>• A hardware load balancer to use with Server1 and Server2</li> </ul>

You need to install AD FS to support the environment.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

#### Actions

Run the following Windows PowerShell cmdlet on Server1:

**Install-AdfsFarm -FederationServiceName contoso.com**

Run the following Windows PowerShell cmdlet on Server2:

**Add-AdfsFarmNode**

Request and install a secure sockets layer (SSL) certificate on Server1 and Server2.

Run the following Windows PowerShell cmdlet on Server1:

**Install-AdfsFarm -FederationServiceName fs.contoso.com**

Run the following Windows PowerShell cmdlet on Server2:

**Add-ClusterNode**



#### Answer Area

1

Request and install a secure sockets layer (SSL) certificate on Server1 and Server2.

2

Run the following Windows PowerShell cmdlet on Server2:

**Add-AdfsFarmNode**

3

Run the following Windows PowerShell cmdlet on Server1:

**Install-AdfsFarm -FederationServiceName fs.contoso.com**

78.	<p>Your company subscribes to an Office 365 Plan E3. A user named User1 installs Office Professional Plus for Office 365 on a client computer. From the Microsoft Online Services portal, you assign User1 an Office Professional Plus license. One month after installing Office, User1 can no longer save and edit Office documents on the client computer. User1 can open and view Office documents.</p> <p>You need to ensure that User1 can save and edit documents on the client computer by using office.</p> <p>What should you do?</p> <p><b>C.</b> Install the Microsoft Online Services Sign-in Assistant.</p>
79.	<p>You are the Office 365 administrator for your company. You prepare to install Active Directory Federation Services (AD FS).</p> <p>You need to open the correct port between the AD FS proxy server and the AD FS federation server.</p> <p>Which port should you open?</p> <p><b>D.</b> TCP 443</p>
80.	<p>You are the Office 365 administrator for your company. You have a workstation that runs Windows 8.</p> <p>You need to install the prerequisite components so that you can view mail protection reports on the workstation.</p> <p>Which two items must you install? Each correct answer presents part of the solution.</p> <p><b>D.</b> .NET Framework 4.5 <b>E.</b> Microsoft Excel 2013</p>

81. A company is deploying an Office 365 tenant.

You need to deploy a Windows Server 2012 R2 federation server farm.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Use AdfsSetup.exe to add the first federation server to the federation server farm.

Install the Active Directory Federation Service server role.

Use AdfsSetup.exe to add the second federation server to the federation server farm.

Run the Windows PowerShell cmdlet **Enable-ADFSEndpoint**.

Use the AD FS Federation Server Configuration Wizard to configure the first federation server in the federation server farm.

Use the AD FS Federation Server Configuration Wizard to add the second federation server to the federation server farm.

















Install the Active Directory Federation Service server role.

Use the AD FS Federation Server Configuration Wizard to configure the first federation server in the federation server farm.

Use the AD FS Federation Server Configuration Wizard to add the second federation server to the federation server farm.

82. You are the Office 365 administrator for your company. You have a server that runs Windows Server 2012.
- You plan to install an Active Directory Federation Services (AD FS) proxy server.
- You need to install and configure all of the required roles.
- Which two roles should you install and configure? Each correct answer presents part of the solution.
- A. Web Server (IIS)**  
**D. Network Policy and Access Service**

83. An organization deploys an Office 365 tenant.
- The Service health page displays the following information:

SERVICE	TODAY	NOV 13
Exchange Online ▾		
Identity Service ▾		
Lync Online ▾		
Office 365 Portal ▾		
Office Subscription ▾		
Rights Management Service		
SharePoint Online ▾		
Yammer Enterprise		



	<p style="text-align: center;">Answer Area</p> <p>What is the current status of Exchange Online and SharePoint Online?</p> <p>When is the earliest date that a post-incident review will be available for SharePoint Online?</p> <div style="border: 1px solid gray; padding: 5px; margin: 10px 0;"> <p>SharePoint Online is available. Exchange Online is available, but service is degraded.</p> <p>SharePoint Online is available. Issues with the Exchange Online service are under investigation.</p> <p>The SharePoint Online subscription is expired. The Exchange Online subscription will expire soon.</p> <p>The SharePoint Online subscription is expired. Issues with the Exchange Online service are under investigation.</p> </div> <div style="border: 1px solid gray; padding: 5px; margin: 10px 0;"> <p>November 13</p> <p>November 21</p> <p>November 30</p> <p>December 1</p> </div>
84.	<p>You are the Office 365 administrator for your company.</p> <p>You must configure a trust between the on-premises Active Directory domain and the Office 365 environment by using Active Directory Federation Services.</p> <p>You need to assign the correct certificate to the description of your on-premises server environment below.</p> <p>Which certificate types should you assign? To answer, drag the appropriate certificate type to the correct test description. Each certificate type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.</p>

Answer Area	
Client	
Domain	
SSL	
X.509	

Description	Certificate Type
Secures the communication between federation servers, clients, and federation server proxy computers.	SSL
Securely signs all tokens that the federation server issues for the cloud-based services.	X.509

85. The legal department in your organization creates standardized disclaimers for all of their email messages. The disclaimers explain that any transmissions that are received in error should be reported back to the sender. You track any confidential documents that are attached to email messages.

Your security team reports that an employee may have mistakenly sent an email message that contained confidential information.

You need to identify whether the email message included the disclaimer and whether it contained confidential information.

Which two options should you configure? To answer, select the appropriate objects in the answer area.

## Answer Area

protection

received mail

malware detections in received mail

sent spam

sent mail

malware detections in sent mail

rules

rule matches for received mail

rule matches for sent mail

DLP

DLP policy matches for sent mail

DLP rule matches for sent mail

DLP rule matches for received mail

86.	<p>A company has an Office 365 tenant. You implement two-factor authentication for all users.</p> <p>You hire an employee named User1 to track service usage and status. User1 must be able to monitor the status of the services over a period of time by using a report. User1 does not have administrator access.</p> <p>You need to provide a report for User1.</p> <p>Which report solution should you choose?</p> <ul style="list-style-type: none"><li>• REST reporting web service</li></ul> <p><a href="https://msdn.microsoft.com/en-us/library/office/jj984325.aspx">https://msdn.microsoft.com/en-us/library/office/jj984325.aspx</a></p>
87.	<p>You need to use the Windows Azure Active Directory Sync tool to provision users.</p> <p>Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.</p>

	Answer Area
Install and run the Windows Azure Active Directory Sync tool on SERVER2.	From the Office 365 admin center, activate directory synchronization.
From the Office 365 admin center, activate directory synchronization.	Install and run the Windows Azure Active Directory Sync tool on SERVER1.
Install and run the Windows Azure Active Directory Sync tool on SERVER1.	Activate all synchronized users.
Activate all synchronized users.	
Install Active Directory Domain Services (AD DS) on the member server.	

- Active Users
- Deleted Users
- Partner Relationships

COMPANY PROFILE

IMPORT

Active Directory synchronization: [Manage](#) | Last synced 1 hour ago | [Learn more](#)  
Change the password expiration policy for your users: [Change now](#)  
Set Multi-factor authentication requirements: [Set up](#) | [Learn more](#)

Select a view:

+   👤   🔍   ↻

88.	<p>You are the Office 365 administrator for your company. The environment must support single sign-on.</p> <p>You need to install the required certificates.</p> <p>Which two certificates should you install? Each correct answer presents part of the solution.</p> <p><b>A.</b> Secure Sockets Layer (SSL) <b>C.</b> Token signing</p>
89.	<p>A company has an Office 365 tenant. You plan to distribute the Office 365 ProPlus client to users.</p> <p>The client machines do not normally have Internet access.</p> <p>You need to activate the Office 365 ProPlus installations and ensure that the licenses remain active.</p> <p>What should you do?</p> <p><b>B.</b> Connect the client computer to the Internet once to activate the Office 365 ProPlus client, and once every 30 days after that.</p>
90.	<p>You are the Office 365 administrator for your company.</p> <p>Users report that they cannot sign in to Lync from their mobile devices, but they are able to send and receive Lync messages by using their laptop computers. You need to troubleshoot the issue.</p> <p>What should you do?</p> <p><b>B.</b> Use the Microsoft Connectivity Analyzer tool to confirm settings.</p>

91. A company has 50 employees that use Office 365. You need to disable password expiration for all accounts. How should you complete the relevant Windows PowerShell commands? To answer, drag the appropriate Windows PowerShell segment to the correct location in the answer area. Each Windows PowerShell segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

The screenshot shows a PowerShell command completion interface. On the left, there is a list of PowerShell segments: `-MsolUser`, `-MsolUserRole`, `-MSOnline`, `-MsolService`, `-MsolSubscription`, `-SPUser`, `-SPOUser`, `-SPOService`, `-SPOExternalUser`, and `-SPOTenant`. On the right, the 'Answer Area' shows the following PowerShell command being built:

```
Import-Module -MSOnline
$cred = Get-Credential
Connect- -MsolService -cred $cred
Get- -MsolUser | Set- -MsolUser -PasswordNeverExpires $true
```

92. You deploy Lync Online for a company that has offices in San Francisco and New York. The two offices both connect to the Internet. There is no private network link between the offices.
- Users in the New York office report that they cannot transfer files to the users in the San Francisco office by using Lync Online.
- You need to ensure that users in both offices can transfer files by using Lync Online.

	<p><b>B.</b> Configure the firewall to open Transmission Control Protocol (TCP) ports 50040-50059.</p>
93.	<p>Your company purchases an Office 365 plan. The company has an Active Directory Domain Services domain.</p> <p>User1 must manage Office 365 delegation for the company.</p> <p>You need to ensure that User1 can assign administrative roles to other users.</p> <p><b>D.</b> Create an Office 365 tenant and assign User1 the global administrator role.</p>
94.	<p>You have an Exchange Online tenant. User1 reports that they are not able to check their email. Other users can check their email.</p> <p>You remotely connect to User1's session.</p> <p>You need to troubleshoot why the user cannot check his email.</p> <p><b>C.</b> Microsoft Remote Connectivity Analyzer</p>
95.	<p>You have an Office 365 environment. Synchronization between the on-premises Active Directory and Office 365 is not working. You need to deactivate directory synchronization.</p> <p>Which Windows PowerShell cmdlet should you run?</p> <p><b>D.</b> Set-MSOLDirSyncEnabled</p> <p>The complete command to disable directory Sync is Set-MSOLDirSyncEnabled -EnableDirSync \$false</p>
96.	<p>You plan to deploy an Office 365 tenant to multiple offices around the country.</p>



	<p>You need to modify the users and groups who are authorized to administer the Rights Management service.</p> <p>Which Windows PowerShell cmdlet should you run?</p> <p><b>A. Add-MsolGroupMember</b></p>
97.	<p>You need to trace email messages that originate from <code>employeeel@contoso.com</code> to users inside your organization.</p> <p>In the message trace window, which two settings should you configure? To answer, select the appropriate objects in the answer area.</p>

	<p>Search for email messages from or to a user or users. You can specify user names or fully qualified email addresses. Wildcards are supported.</p> <p>Sender: <input type="text"/> <input type="button" value="add users..."/></p> <p>Recipient: <input type="text"/> <input type="button" value="add users..."/></p> <p>Message was sent or received: <input type="text" value="Last 48 hours"/> <input type="button" value="v"/></p> <p>Delivery status: <input type="text"/> <input type="button" value="v"/></p> <p>Message ID: <input type="text"/></p>
98.	<p>You have an Exchange Online tenant. You must identify mailboxes that are no longer in use.</p> <p>You need to locate the inactive mailboxes.</p> <p><b>D. Get-StaleMailboxReport -EndDate</b></p>

99.	<p>A company deploys an Office 365 tenant.</p> <p>You need to configure single sign-on (SSO) for all user accounts.</p> <p>Which two actions should you perform? Each correct answer presents part of the solution.</p> <p><b>C.</b> Run the Windows PowerShell cmdlet Convert-MsolDomainToFederated. <b>F.</b> Deploy a federation server farm.</p>
100.	<p>Your company has an Office 365 subscription. The network contains an Active Directory domain. You configure single sign-on for all users.</p> <p>You need to verify that single sign-on functions for the users who access Office 365 from the Internet.</p> <p>What should you run?</p> <p><b>C.</b> the Microsoft Remote Connectivity Analyzer</p>
101.	<p>You need to ascertain whether users can share their free/busy information.</p> <p><b>B.</b> Microsoft Remote Connectivity Analyzer Tool</p>
102.	<p>Neither Contoso nor Contoso. Local can be migrated to Office 365</p>
103.	<p>In the table below, identify when each type of data will be deleted.</p>

Timeframe	User1 Exchange Online mailbox	Documents Created by User1 on SharePoint Online
Never removed	<input type="radio"/>	<input checked="" type="radio"/>
Removed immediately	<input type="radio"/>	<input type="radio"/>
Removed after 30-day grace period	<input checked="" type="radio"/>	<input type="radio"/>
Removed after 90-day grace period	<input type="radio"/>	<input type="radio"/>

104. An organization has over 10,000 users and uses a SQL-based Active Directory Federation Services (AD FS) server farm.

You need to change the AD FS 2.0 service account password.

What should you do? Select the correct answer from each list in the answer area.

Step	Action
1.	Log on to each <input data-bbox="783 378 1461 443" type="text"/> <ul style="list-style-type: none"> <li>directory sync server</li> <li>federation proxy server</li> <li>federation server</li> <li>workstation</li> </ul>
2.	Modify the application pool identity by using the <input data-bbox="510 732 1184 781" type="text"/> <ul style="list-style-type: none"> <li>AD FS management</li> <li>Internet Information Services (IIS) manager</li> <li>local security policy</li> <li>task scheduler</li> </ul>
3.	Modify the AD FS 2.0 Windows Service Properties by using the <input data-bbox="510 1138 1184 1187" type="text"/> <ul style="list-style-type: none"> <li>Office 365 admin center</li> <li>System Configuration</li> <li>Windows Services MMC snap-in</li> </ul>

105.	<p>Your company has 100 user mailboxes. The company purchases a subscription to Office 365 for professionals and small businesses. You need to enable the Litigation Hold feature for each mailbox. What should you do first?</p> <p><b>A.</b> Purchase a subscription to Office 365 for midsize business and enterprises.</p>								
106.	<p>You manage a team of three administrators for an organization that uses Office 365. You must assign roles for each of the administrators as shown in the table. You must assign the minimum permissions required to perform the assigned tasks.</p> <p>You need to assign the correct role to each administrator.</p> <p>Which administrative role should you configure for each user? Select the correct answer from each list in the answer area.</p> <table border="1" data-bbox="281 854 1388 1032"><thead><tr><th data-bbox="281 854 695 899"><b>User</b></th><th data-bbox="695 854 1388 899"><b>Requirements</b></th></tr></thead><tbody><tr><td data-bbox="281 899 695 945">Admin1</td><td data-bbox="695 899 1388 945">Reset user passwords for administrators</td></tr><tr><td data-bbox="281 945 695 990">Admin2</td><td data-bbox="695 945 1388 990">Perform purchasing operations</td></tr><tr><td data-bbox="281 990 695 1032">Admin3</td><td data-bbox="695 990 1388 1032">Create and manage user views</td></tr></tbody></table>	<b>User</b>	<b>Requirements</b>	Admin1	Reset user passwords for administrators	Admin2	Perform purchasing operations	Admin3	Create and manage user views
<b>User</b>	<b>Requirements</b>								
Admin1	Reset user passwords for administrators								
Admin2	Perform purchasing operations								
Admin3	Create and manage user views								

User	Role
Admin1	<input type="text" value="global administrator"/> <ul style="list-style-type: none"> <li>billing administrator</li> <li>global administrator</li> <li>user management administrator</li> </ul>
Admin2	<input type="text" value="global administrator"/> <ul style="list-style-type: none"> <li>billing administrator</li> <li>global administrator</li> <li>user management administrator</li> </ul>
Admin3	<input type="text" value="user management administrator"/> <ul style="list-style-type: none"> <li>billing administrator</li> <li>global administrator</li> <li>user management administrator</li> </ul>

107. Your company has a hybrid deployment Office 365. You create a user in Office 365. The next day, you discover that the new user account fails to appear in the Microsoft Exchange Server on- premises global address list (GAL).

You need to ensure that the user has a mailbox and appears in the Exchange on- premises GAL and the Office 365 GAL.

**D.** Delete the user account hosted on Office 365. From the Exchange Management Console, create a new remote mailbox.

108. You are the Office 365 administrator for your company. The company has Office 365 Enterprise E3 licenses for each of its 250 employees. The company does not allow email or Lync Online licenses to be assigned to external contractors.

User1 is an external contractor who requires access to SharePoint and Office Web Apps only.

You need to add a license for User1's account.

What should you do? To answer, drag the appropriate action to the correct location or locations. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Answer Area	
Step	Action
1.	Sign in to the Office 365 admin center.
2.	Select the purchase services option.
3.	Add an Office Web App with SharePoint (Plan 1) plan.
4.	Select the users and groups option.
5.	Assign licenses to User1.

Select the purchase services option.
Select the licensing option.
Select the users and groups option.
Enable External Users in SharePoint.
Add an Office 365 Enterprise E3 license for User1.



109.	<p>You are the Office 365 administrator for your company.</p> <p>You must use Windows PowerShell to manage cloud identities in Office 365. You must use a computer that runs Windows 8 to perform the management tasks.</p> <p>You need to ensure that the Windows 8 computer has the necessary software installed.</p> <p>What should you install first?</p> <p><b>D.</b> Microsoft Online Services Sign-in Assistant</p>
110.	<p>A company plans to use Office 365 to provide email services for users. You need to ensure that a custom domain name is used.</p> <p><b>A.</b> Add the custom domain name to Office 365 and then verify it.</p>
111.	<p>Fabrikam, Inc. employs 500 users and plans to migrate to Office 365.</p> <p>You must sign up for a trial plan from the Office 365 website. You have the following requirements:</p> <ul style="list-style-type: none"><li>• Create the maximum number of trial users allowed.</li><li>• Convert the trial plan to a paid plan at the end of the trial that supports all of Fabrikam's users.</li></ul> <p>You need to create an Office 365 trial plan.</p> <p>How should you configure the trial plan? Select the correct answer from each list in the answer area.</p>

Plan	Number of Included Trial Users
<div data-bbox="443 310 856 496"> <input type="text" value="Office 365 Enterprise E3"/> <ul style="list-style-type: none"> <li>Office 365 Midsize Business</li> <li>Office 365 Enterprise E1</li> <li>Office 365 Enterprise E3</li> <li>Office 365 Enterprise E4</li> </ul> </div>	<div data-bbox="1178 310 1388 496"> <input type="text" value="25"/> <ul style="list-style-type: none"> <li>25</li> <li>50</li> <li>100</li> <li>250</li> </ul> </div>

112. A company has an Office 365 tenant that has an Enterprise E1 subscription. The company has offices in several different countries.

You need to restrict Office 365 services for existing users by location.

Which Windows PowerShell cmdlet should you run?

```
Set-MsolUser -UserPrincipalName user@contoso.com -UsageLocation "CA"
```

Note:

Some organizations may want to create policies that limit access to Microsoft Office 365 services, depending on where the client resides. Active Directory Federation Services (AD FS) 2.0 provides a way for organizations to configure these types of policies. Office 365 customers using Single Sign-On (SSO) who require these policies can now use client access policy rules to restrict access based on the location of the computer or device that is making the request. Customers using Microsoft Online Services cloud User IDs cannot implement these restrictions at this time.

Reference: Limiting Access to Office 365 Services Based on the Location of the Client

<https://technet.microsoft.com/en-us/library/hh526961>

113. A company plans to use Office 365 to provide email services to employees. The company obtains a custom domain name to use with Office 365.

You need to add the domain name to Office 365.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.


The screenshot shows a drag-and-drop interface with two main sections:

- Source List (Left):** A vertical list of six actions, each in a yellow box with a green border:
  - Connect to Windows Azure Active Directory.
  - Run Remote PowerShell.
  - Enable user access for Remote PowerShell in Exchange Online.
  - Run the Windows PowerShell cmdlet **New-MsolDomain**.
  - Run the Windows PowerShell cmdlet **New-MsolFederatedDomain**.
  - Install the Windows Azure Active Directory module for Windows PowerShell.
- Answer Area (Right):** A vertical list of three actions, each in a yellow box with a red border, representing the selected sequence:
  - Install the Windows Azure Active Directory module for Windows PowerShell.
  - Connect to Windows Azure Active Directory.
  - Run the Windows PowerShell cmdlet **New-MsolDomain**.

114.	<p>You need to open ports on the network firewall to enable all of the features of Lync Online.</p> <ul style="list-style-type: none"><li><b>A.</b> inbound TCP 443</li><li><b>C.</b> outbound UDP 3478</li><li><b>D.</b> outbound TCP 443</li><li><b>E.</b> outbound UDP 50000 to outbound UDP 59999</li></ul>
115.	<p>An organization plans to migrate to Office 365. You need to estimate the post-migration network traffic.</p> <p>Which tool should you use?</p> <ul style="list-style-type: none"><li><b>A.</b> Lync 2013 Bandwidth Calculator</li></ul> <p><a href="#">Lync Server 2010 and 2013 Bandwidth Calculator Version 2.0</a></p>
116.	<p>Your company uses Office 365. You need to identify which users do NOT have a Microsoft Exchange Online license assigned to their user account.</p> <ul style="list-style-type: none"><li><b>K.</b> Get-MSOLUser</li></ul>
117.	<p>A company plans to synchronize users in an existing Active Directory organizational unit with Office 365.</p> <p>You must configure the Azure Active Directory Synchronization (AAD Sync) tool with password sync.</p> <p>You need to ensure that the service account has the minimum level of permissions required.</p>

Which two permission levels should you assign to the account for each task? To answer, select the appropriate permission level from each list in the answer area.

Task	Permission Level
Password Write-Back	<div data-bbox="892 475 1633 527">▼</div> <div data-bbox="892 527 1633 579">Full Control</div> <div data-bbox="892 579 1633 631">Reset Password</div>
	<div data-bbox="892 708 1633 760">▼</div> <div data-bbox="892 760 1633 812">Create Child</div> <div data-bbox="892 812 1633 854">Create Password</div>
Password synchronization	<div data-bbox="892 935 1633 987">▼</div> <div data-bbox="892 987 1633 1039">Replicating Directory Changes</div> <div data-bbox="892 1039 1633 1091">Manage Replication Topology</div>
	<div data-bbox="892 1174 1633 1226">▼</div> <div data-bbox="892 1226 1633 1278">Replicating Directory Changes All</div> <div data-bbox="892 1278 1633 1320">Replication Directory Changes in Filtered Set</div>

118.	<p>A company has 50 employees that use Office 365.</p> <p>You need to enforce password complexity requirements for all accounts.</p>  <pre>Answer Area Get -MsolUser   Set -MsolUser -StrongPasswordRequired \$true</pre>
119.	<p>Fabrikam has the Office 365 Enterprise E3 plan. You must add the domain name fabrikam.com to the Office 365 tenant. You need to confirm ownership of the domain.</p> <p>Which DNS record types should you use?</p>

Verification Method	DNS Record Type
Preferred	TXT
Alternate	MX

120. A company has an Office 365 tenant that has an Enterprise E1 subscription. Users currently sign in with credentials that include the contoso.com domain suffix. The company is acquired by Fabrikam. Users must now sign in with credentials that include the fabrikam.com domain suffix.

You need to ensure that all users sign in with the new domain name.

Which Windows PowerShell cmdlet should you run?

**D. Set-MsolUserPrincipalName**

```
Set-MsolUserPrincipalName -UserPrincipalName User1@contoso.com -  
NewUserPrincipalName CCole@contoso.com
```

121.	<p>A company has an Office 365 tenant that has an Enterprise E1 subscription.</p> <p>You use single sign-on for all user accounts. You plan to migrate all services to Office 365.</p> <p>You need to ensure that all accounts use standard authentication.</p> <p>Which Windows PowerShell cmdlet should you run?</p> <p><b>E. Convert-MsolFederatedUser</b></p> <p><a href="#">Convert-MsolFederatedUser</a></p>
122.	<p>You are the Office 365 administrator for your company. A user named User1 from a partner organization is permitted to sign in and use the Office 365 services.</p> <p>User1 reports that the password expires in ten days. You must set the password to never expire. Changes must NOT impact any other accounts.</p> <p>You need to update the password policy for the user.</p> <p>Which Windows PowerShell cmdlet should you run?</p> <p><b>C. Set-MsolUser</b></p>



123.	<p>You are the Office 365 administrator for your company. The company has a single office.</p> <p>You have the following requirements:</p> <p>You must configure a redundant Active Directory Federation Services (AD FS) implementation.</p> <ul style="list-style-type: none"><li>• You must use a Windows Internal Database to store AD FS configuration data.</li><li>• The solution must use a custom login page for external users.</li><li>• The solution must use single sign-on for internal users.</li><li>• You need to deploy the minimum number of servers.</li></ul> <p>How many servers should you deploy?</p> <p>4 servers</p>
124.	<p>A company with 75,000 employees has an Office 365 tenant.</p> <p>You need to install the Azure Active Directory Synchronization (AAD Sync) tool by using the least amount of administrative effort.</p> <p>Which versions of each product should you implement? (Select three)</p>

<b>.NET components</b>	<b>Windows PowerShell</b>	<b>SQL Server</b>
<div data-bbox="331 362 663 427">▼</div> <ul style="list-style-type: none"> <li data-bbox="342 443 663 508">.Net 3.5</li> <li data-bbox="342 524 663 589">Net 4.0</li> <li data-bbox="342 605 663 670">.Net 4.5</li> <li data-bbox="342 686 663 727"><b>.Net 4.5.1</b></li> </ul>	<div data-bbox="766 362 1161 427">▼</div> <ul style="list-style-type: none"> <li data-bbox="787 459 1140 524">PowerShell (PS1)</li> <li data-bbox="787 540 1140 605">PowerShell (PS2)</li> <li data-bbox="787 621 1140 654"><b>PowerShell (PS3)</b></li> <li data-bbox="787 670 1140 727">PowerShell (PS4)</li> </ul>	<div data-bbox="1255 362 1602 427">▼</div> <ul style="list-style-type: none"> <li data-bbox="1266 459 1591 524"><b>SQL Server Express</b></li> <li data-bbox="1266 540 1591 589">SQL Server 2008</li> <li data-bbox="1266 605 1591 654">SQL Server 2012</li> <li data-bbox="1266 670 1591 727">SQL Server 2014</li> </ul>
125.	<p>Contoso, Ltd., has an Office 365 tenant. You configure Office 365 to use the domain contoso.com, and you verify the domain. You deploy and configure Active Directory Federation Services (AD FS) and Active Directory Synchronization Services (AAD Sync) with password synchronization. You connect to Azure Active Directory by using a Remote PowerShell session.</p> <p>You need to switch from using password-synced passwords to using AD FS on the Office 365 verified domain.</p> <p>Which Windows PowerShell command should you run?</p> <p><b>A.</b> Convert-MsolDomainToFederated -DomainName contoso.com</p> <p><b>Explanation:</b> The Convert-MSOLDomainToFederated cmdlet converts the specified domain from standard authentication to single sign-on (also known as identity federation), including configuring the relying party trust settings between the Active Directory Federation Services (AD FS) server and the Microsoft Online Services. As</p>	

	part of converting a domain from standard authentication to single sign-on, each user must also be converted. This conversion happens automatically the next time a user signs in; no action is required by the administrator.
--	--

## Additional References

[http://www.academia.edu/9415941/Correct\\_Answer\\_A](http://www.academia.edu/9415941/Correct_Answer_A)

<http://blogs.catapultsystems.com/smcneill/archive/2014/01/04/setting-up-adfs-3-0-server-2012-r2-for-office-365/>